

KLB-SYSTEM VERDÜNNER UND REINIGER

VERDÜNNER UND REINIGER VR 24

Solvent mixture for cleaning and diluting epoxy resins

Packaging units

Article no.	Packaging	Content (kg)	Units/pallet
VR9001-56	Canister	10.00	50



Product characteristics

Classification	Highly flammable
----------------	------------------

Product description

Solvent mixture preferably for epoxy resin coating works. For cleaning tools as long as the resins have not yet hardened. Suitable as thinner for epoxy resin systems according to the dosage recommendations.

Note: not suitable for polyurethane resins.

Technical data

Density	0.8	kg/l	DIN EN ISO 2811-2 (20 °C / 68 °F)
Flashpoint	13 °C / 55.4	°F	DIN EN ISO 1523 / ISO 2719

The values established in tests are average values. Deviations from the product specification may occur.

Processing

To clean tools, remove the necessary amount into a separate, reclosable container and carry out the cleaning with a brush. Only dilute epoxy resin according to the manufacturer's recommendation in the correct dosage.

Storage

Always re-seal and close tight after usage and store closed in a dry place. Please note the safety data sheet!

Special remarks

Highly flammable. Note the information on the containers and on the safety data sheet.



Please consider the latest version of this product information on our website.

All stated information is based on our experience and technical preparation. We guarantee the correct and proper quality of our products. We do not assume any responsibility for the work not carried out by us, since we have no influence on the processing or processing conditions. We recommend on-site trials to be conducted in individual cases. With the publication of this new KLB product information, all prior information loses validity. The latest version is available electronically on our website www.klb-koetzal.com. In addition, our "General Terms and Conditions" apply.
