

KLB-SYSTEM Industriebodenpflege

PS 25 Reinigungskonzentrat

Highly concentrated cleanser for heavily soiled commercial and industrial floors

Packaging units



Article no.	Packaging	Inhalt	Units/pallet
DP7608-92	Bottle	1.00 l	240
DP7608-70	Canister	5.00 l	108
DP7608-50	Canister	10.00 l	80

Product characteristics

Consumption	Approx. 0.050 - 0.100 kg/m ² of the diluted cleaning solution
Shelf life	12 months (originally sealed) – Protect from frost!
Colour	Yellowish fluid with low viscosity
Contents	Highly concentrated special tenside mixture in combination with solvents, scents and additives

Product description

KLB-SYSTEM PS 25 Reinigungskonzentrat is a highly concentrated cleanser based on a special tenside mixture for heavily soiled, moisture-sensitive commercially and industrially used floors. Especially suitable for the removal of oil, grease, and old wax layers on synthetic covering - but also for cleaning terrazzo floors, concrete slabs or tiles.

KLB-SYSTEM PS 25 Reinigungskonzentrat can be used in cleaning machines. In special cases, it is possible to use de-foaming.

Technical data

Density	1.0	kg/l	DIN EN ISO 2811-2 (20 °C / 68 °F)
pH-value	undiluted: 8.0 - 8.5; diluted (1 : 10): 7.5 - 8.0	-	

The values established in tests are average values. Deviations from the product specification may occur.

Mixing

Mix with water in any desired mixing ratio. Should not be mixed with any other cleansers – otherwise it may lead to a decreased cleaning power.

Dilution

- Regular contamination / maintenance cleaning: up to approx. 1 : 50
- Heavy contamination / intensive cleaning: from 1 : 5 up to 1 : 10

Processing

Depending on the degree of contamination, apply the diluted **KLB-SYSTEM PS 25 Reinigungskonzentrat** evenly over the entire surface with a suitable tool (mop,

cleaning machine, etc.). The residence time should be at least 10 minutes. Then, the actual cleaning process can be carried out as usual by machine (automatic cleaning machine, disc brushes, etc.) or manually (scrubbing brushes, brushes, etc.). Apply by wiping with an excess of liquid, which is taken up with the mop again after the cleaning process. For larger areas, machine cleaning with a brush cleaning machine is recommended. After cleaning, use clear water and let the surface dry.

Storage

Store in dry and at frost-free conditions. Ideal storage temperature is between 10 - 20 °C / 50 - 68 °F. Bring to a suitable working temperature before application. Tightly re-seal opened containers and use the content as soon as possible.

Disposal

The product consists of more than 90% biodegradable contents according to WRMG. Classified as "readily biodegradable" based on the EU guidelines on the biodegradability of surfactants.

UBA-No. 52560001

Special remarks

The product is regulated by the German Ordinance on Hazardous Substances (GefStoffV), the German Ordinance on Industrial Safety and Health (BetrSichV), and transport regulations for hazardous goods. The necessary information is contained in the DIN Safety Data Sheet. Observe all identification information on the container label!



Please consider the latest version of this product information on our website.

All stated information is based on our experience and technical preparation. We guarantee the correct and proper quality of our products. We do not assume any responsibility for the work not carried out by us, since we have no influence on the processing or processing conditions. We recommend on-site trials to be conducted in individual cases. With the publication of this new KLB product information, all prior information loses validity. The latest version is available electronically on our website www.klb-koetzal.com. In addition, our "General Terms and Conditions" apply.