

# CHEMORESIN

## PU-BETON 4006



According Attachment III Regulation (EG) No. 305/2011 (Building Product Regulation)

**1. Unique identification code for the product type:**

EN 13813:2003-01 - PU-Beton4006-V1-092023

**Type, batch or serial number or any other element allowing identification of the building product as required according to article 11 (4):**

Batch number: see label of the product

**Intended use or usage of the building product, in accordance with the applicable harmonised technical specification, as intended by the manufacturer:**

EN 13813: Synthetic resin screed mortar for internal use

**Name, registered trade name or registered trade mark and contact address of the manufacturer as required according to article 11 (5):**

KLB Kötzatal Lacke + Beschichtungen GmbH  
 Günztalstraße 25  
 89335 Ichenhausen  
 GERMANY

**System or systems for evaluation and verification of performance reliability for the building product according to annex V:**

EN 13813:  
 System 4 (for internal use)  
 System 4 (for internal use subject to fire-behaviour regulations)

**Notified Bodies (N):**

EN 13813, System 4: -

**In case of the declaration of performance concerning a building product for which a**

Not relevant

European Technical  
Assessment has been  
issued:

---

**Declared performance:**

Harmonised technical specification	EN 13813:2003-01
------------------------------------	------------------

---

**The performance of the product according to point 1 and 2 conforms with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.**

Signed for and on behalf of the manufacturer by:

Artur Kehrle, CEO  
Name and Function

Ichenhausen, 28.09.2023  
Place and Date of Issue



Signature

---

CE marking

	
KLB Kötztal Lacke + Beschichtungen GmbH Günztalstraße 25 FRG-89335 Ichenhausen	
23	
CHEMORESINPU4006-V1-082023	
DIN EN 13813:2003-01	
Synthetic resin screed mortar DIN EN 13813: SR-B1.5-AR0.5-IR4	
Fire behaviour	B <sub>fl</sub> -S1
Emission of corrosive substances	SR
Wear resistance BCA	AR 0.5
Adhesive tensile strength	B 1.5
Impact resistance	IR 4



Please consider the latest version of this product information on our website.

All stated information is based on our experience and technical preparation. We guarantee the correct and proper quality of our products. We do not assume any responsibility for the work not carried out by us, since we have no influence on the processing or processing conditions. We recommend on-site trials to be conducted in individual cases. With the publication of this new KLB statement of performance, all prior information loses validity. The latest version is available electronically on our website [www.klb-koetztal.com](http://www.klb-koetztal.com). In addition, our "General Terms and Conditions" apply.