





The Object

Mercedes-Benz car dealership Burger Schloz D-73066 Uhingen

Category: Automotive showroom Area size: 1,200 m² Completion: May 2020

Floor covering: Decorative, low-emission stone carpet covering

Area type: Walkways, exhibition space for cars

Requirements: Modern, high-quality look

Insight: Sustainable coating with coloured

From a financial and ecological point of view, the floor system installed in the car dealership is a long-term solution: above all, the automotive showroom is gaining sales potential with its upscale stone carpet. At the same time, the floor offers long durability due to its hard, robust surface and is therefore particularly economical.



Visual demarcation with coloured quartz pebbles and stainless steel rails.



Impressive presentation space with sales-promoting effect.

High-quality, low-VOC colour quartz stone carpet

AUTOMOTIVE, GARAGES AND CAR PARKS / CAR EXHIBITIONS

As a high-quality stone carpet flooring based on epoxy resin, the covering was used for the car dealership primarily because of its low emission properties and decorative appearance. The primer KLB-SYSTEM EPOXID EP 57, which has been openly scattered with quartz sand KLB-Quarzsand 0.3/0.8 mm, is the first layer of the build-up. The round form of the decorative pebbles, bonded with KLB-SYSTEM EPOXID EP 172, gives the covering a pleasant walking feel.

The coloured quartz covering is available in various colour combinations. For the presentation area, a colourful separation of the differently used surfaces, such as the walkways and exhibition space, lent itself to the installation of stainless steel rails. The light grey areas were given a matt finish with an additional sealing layer of **KLB-SYSTEM EPOXID EP 705 E**, while the dark grey floor was left glossy and without applying a sealer. The coating system can generally be installed both open-pored and pore-sealing. In the first variant, the specially rounded natural quartz stones were applied without pore closure to achieve a more distinct 3D look of the showroom's floor.

As the gravels are naturally hard, the mechanical resilience and abrasion resistance of the stone carpet is significantly increased. Nevertheless, the tyres should be underlaid to avoid rubber marks and detachment on the floor.

Attention: differing system build-up!



The object shown has a special build-up. The installation technique and product composition for this flooring was developed and implemented by our customer. The tested and proven KLB systems provide a reliable basis for many such out-of-the-ordinary applications. For special circumstances or if you have individual design requirements, you can also optionally supplement or adapt our systems with other products from our high-quality portfolio. KLB consultants will be happy to answer any technical questions you may have. You can find KLB systems recommended by us on our website at:



www.klb-koetztal.de/en/systemfinder






a publication of KLB Kötztal Lacke + Beschichtungen GmbH

The systematic approach to great flooring.

You can find more systems and references on our website:



www.klb-koetztal.de/en/systemfinder

www.klb-koetztal.de/en/klb-references

Please note: This Object Insight brochure shows exemplary build-ups for a specific area of application. It does not replace qualified, object-specific advice from KLB for your project. All stated information is based on our experience and technical preparation. We guarantee the correct and proper quality of our products. We do not assume responsibility for the work not carried out by us, since we have no influence on the processing or processing conditions on site. We recommend on-site trials to be conducted in individual cases. In addition, our "General Terms and Conditions" apply.



KLB KÖTZTAL Lacke + Beschichtungen GmbH

Günztalstraße 25 89335 Ichenhausen, GERMANY

info@klb-koetztal.com Phone: +49(0)8223-9692-0 Fax: +49(0)8223-9692-100

Follow us also on these channels:



@klbkoetztal





according to ISO 9001.

www.klb-koetztal.com