

KLB-Equipment and tools

Edition 02/2026



KLB-Rollers	3
KLB-Structure and spiked rollers	4
KLB-Frames and holders	5
KLB-Scrapers – Metal	5
KLB-Scrapers – Rubber	6
KLB-Pin screed scrapers	6
KLB-Smoothing trowels assortment	6
KLB-Toothed blades assortment – Metal	8
KLB-Rubber Floor wiper and maintenance set	10
KLB-Adhesive tapes	11
KLB-Brush assortment	11
KLB-Reinforcement fleece and fabric	12
KLB-Sealing bands, edges and sealing sleeves	13
KLB-Accessories and protective clothing	14

Please note: All stated information is based on our experience and technical preparation. It is not possible to consider every single case in the listed recommendations, they therefore only have an indicative character. For specific cases we offer a detailed consultation in our Company. We guarantee the correct and proper quality of our products. We do not assume any responsibility for the work not carried out by us, since we have no influence on the processing or processing conditions. We recommend on-site trials to be conducted. This brochure contains the current status of the KLB technology at the time of publication. For all technical questions only the latest KLB product information is valid. The updated version is available on our website www.klb-koetzta.com. In addition, our „General Terms and Conditions“ apply.

Grey stripe nylon-roller 10

Article nr.	Description	Dimensions	Weight
WZ1000-10	For primers and resins – without frame	Width 10 cm, Pile height 14 mm	0.015 kg



Blue stripe nylon-roller 25

Article nr.	Description	Dimensions	Weight
WZ1000-25	For primers and resins – without frame	Width 25 cm, Pile height 14 mm	0.175 kg



Blue/blue nylon-roller

Article nr.	Description	Dimensions	Weight
WZ1010-10	For primers and resins – without frame	Width 10 cm, Pile height 8 mm	0.020 kg
WZ1010-25		Width 25 cm, Pile height 8 mm	0.140 kg
WZ1010-50		Width 50 cm, Pile height 8 mm	0.350 kg



Blue/yellow application roller


Article nr.	Description	Dimensions	Weight
WZ1030-10	For sealing, Solvent resistant – without frame	Width 10 cm, Pile height 6 mm	0.015 kg
WZ1030-25		Width 25 cm, Pile height 6 mm	0.130 kg
WZ1030-50		Width 50 cm, Pile height 6 mm	0.200 kg





Microfibre roller orange


Article nr.	Description	Dimensions	Weight
WZ1053-10	For water-based sealers v without frame	Width 10 cm, Pile height 6 mm	0.020 kg
WZ1053-25		Width 25 cm, Pile height 6 mm	0.135 kg
WZ1053-50		Width 50 cm, Pile height 6 mm	0.250 kg
WZ1052-25		Width 25 cm, Pile height 16 mm	0.135 kg




Yellow/rough structure roller				
	Article nr.	Description	Dimensions	Weight
	WZ1040-11	For textured coatings – without frame	Width 11 cm, Flor rough	0.020 kg
	WZ1040-25		Width 25 cm, Flor rough	0.200 kg

Blue loop roller				
	Article nr.	Description	Dimensions	Weight
	WZ1080-25	To ventilate and smooth	Width 25 cm, Web loop	0.200 kg

Spiked roller				
	Article nr.	Description	Dimensions	Weight
	WZ4100-25	For coatings – without frame Clean before first use.	Width 25 cm, Spike length 11 mm	0.360 kg
	WZ4100-50		Width 50 cm, Spike length 11 mm	0.400 kg

Spiked roller – PU BETON				
	Article nr.	Description	Dimensions	Weight
	WZ4110-25	For PU-BETON coatings – with frame Clean before first use.	Width 25 cm, Spike length 35 mm	0.450 kg

Needle roller 25 for coatings				
	Article nr.	Description	Dimensions	Weight
	WZ4100-26	Needle roller for coatings, thin coatings and in special cases.	Width 25 cm, Spike length 11 mm	0.500 kg

Frames for rollers

Article nr.	Description	Dimensions	Weight
WZ4101-10	Galvanized steel frame with plastic hollow handle	Width 10 cm, Stick incl. handle 40 cm	0.125 kg
WZ4101-25		Width 25 cm, Stick incl. handle 40 cm	0.250 kg



U-Shaped roller frame – adjustable

Article nr.	Description	Dimensions	Weight
WZ4101-VE	U-shaped frame – open adjustable	Width 40 cm - 60 cm	0.750 kg



KLB-Scrapers – Metal

Scraper

Article nr.	Description	Dimensions	Weight
WZ3056-50	Without teeth – rust-free	Width 60 cm	0.350 kg



Edged scraper

Article nr.	Description	Dimensions	Weight
WZ3055-50	For scratch coatings – without teeth	Width 58 cm	0.400 kg



Toothed scraper

Article nr.	Description	Dimensions	Weight
WZ3030-50	Toothing size: 6 mm – layer strength approx. 1 - 2 mm	Width 58 cm	0.400 kg
WZ3040-50	Toothing size: 7 mm – layer strength approx. 2 - 3 mm	Width 58 cm	0.420 kg



Interchangeable scraper

Article nr.	Description	Dimensions	Weight
WZ3060-50	With clip strip for 2 toothed blades of 28 cm	Width 58 cm	0.500 kg




Stick holder for toothed scraper

Article nr.	Description	Dimensions	Weight
WZ3029-50	Inclusive of 2 wing screw	Width 12 cm	0.100 kg



KLB-Scrapers – Rubber

Interchangeable scraper				
	Article nr.	Description	Dimensions	Weight
	WZ3100-60	With wing screws and clip strip – without rubber blade	Width 58 cm	1.300 kg


Light grey rubber blades, toothed				
	Article nr.	Description	Dimensions	Weight
	WZ3101-60	Thickness 8 mm. Light special rubber for Interchangeable scraper	Toothing 1 mm, Width 58 cm	0.350 kg
	WZ3102-60		Toothing 2 mm, Width 58 cm	
	WZ3103-60		Toothing 3 mm, Width 58 cm	
	WZ3107-60		Toothing 7 mm, Width 58 cm	
	WZ3109-60		Toothing 9 mm, Width 58 cm	

KLB-Pin screed scrapers


Pin screed scrapers				
	Article nr.	Description	Dimensions	Weight
	WZ3065-50	Coatings up to 20 mm	Rake 40 cm width changeable	0.350 kg

Pin screed scrapers – Alu				
	Article nr.	Description	Dimensions	Weight
	WZ3065-15	Coatings up to 18 mm	Rake 58 cm width	0.350 kg


KLB-Smoothing trowels assortment

Surface spatula with clip strips				
	Article nr.	Description	Dimensions	Weight
	WZ3070-50	With clip strips – for toothed blades – 28 cm	Width 28 cm	0.250 kg


Wallpaper smoother

Article nr.	Description	Dimensions	Weight	
WZ3085-10	Plastic – trapezoidal – conical – round edges	Width 23.5 cm	0.100 kg	


Surface spatula

Article nr.	Description	Dimensions	Weight	
WZ3090-50	Straight blade – rust-free	Width 27 cm	0.300 kg	


Hard rubber spatula

Article nr.	Description	Dimensions	Weight	
WZ3090-51	For surface sealing and closing pores of mortar and broadcast coatings	Width 23 cm	0.300 kg	


Swiss smoothing trowel

Article nr.	Description	Dimensions	Weight	
WZ3095-01	With waxed wooden handle – blade thickness 0.7 mm	Width 48 x 13 cm	0.750 kg	


Smoothing trowel

Article nr.	Description	Dimensions	Weight	
WZ3095-02	Rust-free – blade thickness 0.7 mm	Width 28 x 13 cm	0.360 kg	


Trowel for mortar systems

Article nr.	Description	Dimensions	Weight	
WZ3096-01	Rust-free – blade thickness 0.7 mm	Width 35 x 7.5 cm	0.390 kg	

Concave and corner trowel

Article nr.	Description	Dimensions	Weight	
WZ3094-01	With 5 mm-edge, 45° bevelled on both sides	Width 25 x 14 cm	0.550 kg	

Plastic cove trowel

Article nr.	Description	Dimensions	Weight	
WZ7015-01	For forming small coves or scraping buckets	Length approx. 28.5 cm	0.32 kg	

Rust-free steel decorative trowel


	Article nr.	Description	Dimensions	Weight
	WZ3091-01	Flexible for EC 450 DECOR	28 x 12 x 0.6 cm	0.290 kg

Small rust-free steel decorative trowel


	Article nr.	Description	Dimensions	Weight
	WZ3091-02	Flexible for EC 450 DECOR	20 x 8 x 0.6 cm	0.270 kg

KLB-Toothed blades assortment – Metal


Toothed blade A2

	Article nr.	Description	Dimensions	Weight
	WZ5000-50	Coatings – H=1.5 mm, L=1.8 mm, S=1.2 mm**	Width 28 cm 2-sided toothing	0.030 kg


Toothed blade A3

	Article nr.	Description	Dimensions	Weight
	WZ5000-52	Coatings – H=1.5 mm, L=1.5 mm, S=0.5 mm**	Width 28 cm 2-sided toothing	0.030 kg


Toothed blade R4

	Article nr.	Description	Dimensions	Weight
	WZ5000-05	Coatings – H=4.0 mm, L=4.0 mm, S=4.0 mm**	Width 28 cm 2-sided toothing	0.030 kg


Toothed blade RS4

	Article nr.	Description	Dimensions	Weight
	WZ5000-78	Coatings – H=5.5 mm, L=6.5/1.9 mm, S=0.2 mm**	Width 28 cm 2-sided toothing	0.030 kg


Toothed blade S1

	Article nr.	Description	Dimensions	Weight
	WZ5000-53	Coatings – H=9.2 mm, L=10.0 mm, S=0.2 mm**	Width 28 cm 2-sided toothing	0.030 kg


Toothed blade S2

Article nr.	Description	Dimensions	Weight	
WZ5000-54	Coatings – H=7.7 mm, L=8.2 mm, S=0.2 mm**	Width 28 cm 2-sided tothing	0.030 kg	


Toothed blade S3

Article nr.	Description	Dimensions	Weight	
WZ5000-51	Coatings – H=5.2 mm, L=6.2 mm, S=0.2 mm**	Width 28 cm 2-sided tothing	0.030 kg	


Toothed blade S5

Article nr.	Description	Dimensions	Weight	
WZ5000-47	Coatings – H=4.2 mm, L=5.7 mm, S=0.2 mm**	Width 28 cm 2-sided tothing	0.030 kg	


Toothed blade S6

Article nr.	Description	Dimensions	Weight	
WZ5000-48	Coatings – H=3.4 mm, L=4.2 mm, S=0.2 mm**	Width 28 cm 2-sided tothing	0.030 kg	

Toothed blade S7

Article nr.	Description	Dimensions	Weight	
WZ5000-55	Coatings – H=2.6 mm, L=1.8 mm, S=0.1 mm**	Width 28 cm 2-sided tothing	0.030 kg	


Toothed blade S8


Article nr.	Description	Dimensions	Weight	
WZ5000-49	Coatings – H=1.8 mm, L=2.5 mm, S=0.2 mm**	Width 28 cm 2-sided tothing	0.030 kg	


** H = teeth height
 L = teeth width
 S = teeth top width


Note:
 For an easy comparison with any available toothed blade.
 The inserts are shown in a 1:1 scale.


KLB-Rubber Floor wipers and maintenance set

Black rubber wiper				
	Article nr.	Description	Dimensions	Weight
	WZ7000-01	Black rubber wiper with double lip	Width 55 cm	0.500 kg

Red rubber wiper				
	Article nr.	Description	Dimensions	Weight
	WZ7000-02	Red rubber wiper with double lip – resistant to solvents	Width 55 cm	0.500 kg

Joint board				
	Article nr.	Description	Dimensions	Weight
	WZ7020-01	From white hard rubber	Width 25.5 x 9.5 cm	0.500 kg

Joint spatula				
	Article nr.	Description	Dimensions	Weight
	WZ3110-60	With wooden back and translucent rubber	Total width 25 cm Rubber width 22.5 cm	0.300 kg

Waxer				
	Article nr.	Description	Dimensions	Weight
	WZ6050-01	For the maintenance treatment of the floor – inclusive stick and cover	Stalk 143 cm	0.800 kg

Replacement cover for the waxer				
	Article nr.	Description	Dimensions	Weight
	WZ6050-02	Replacement cover	Width 43 cm	0.250 kg

Duct tape

Article nr.	Description	Dimensions	Weight
WZ6000-05	For rough substrates – highly adhesive – PE-coated	Roll 50 m, Width 3.8 cm	0.400 kg




Blue all-purpose adhesive tape

Article nr.	Description	Dimensions	Weight
WZ6000-06	For smooth and not absorbent substrates – water resistant and UV-stable	Roll 25 m, Width 3.8 cm	0.400 kg



Masking tape

Article nr.	Description	Dimensions	Weight
WZ6000-07	For precise masking works	Roll 50 m, Width 1.9 cm	0.110 kg
WZ6000-08		Roll 50 m, Width 5.0 cm	0.275 kg



KLB-Brush assortment

Corner brush


Article nr.	Description	Dimensions	Weight
WZ2000-10	Industrial quality – resistant to solvents	Width 1" Narrow	0.050 kg
WZ2000-25		Width 2.5" Wide	0.100 kg





Flat brush


Article nr.	Description	Dimensions	Weight
WZ2001-19	Thickness approx. 19 mm – resistant to solvents	Width 1.5" narrow	0.036 kg
WZ2001-22	Thickness approx. 22 mm – resistant to solvents	Width 2.5" wide	0.085 kg




Reinforcement fleece VA 1035				
	Article nr.	Description	Dimensions	Weight
	ZG9005-35	Tear proof Reinforcement fleece	Roll 100 m, Width 1 m	3.300 kg

Reinforcement mesh VA 1040				
	Article nr.	Description	Dimensions	Weight
	ZG9000-00	Open mesh, highly tear proof grid fabric	Roll 100 m, Width 1 m	8.000 kg

Reinforcement fleece VA 1044				
	Article nr.	Description	Dimensions	Weight
	ZG9005-44	Special reinforcement	Roll 50 m, Width 1 m	2.250 kg

Reinforcement mat 125 x 300				
	Article nr.	Description	Dimensions	Weight
	ZG9015-00	Fiber glass mesh	Roll 96 m, Width 1.25 m	52.000 kg

Reinforcement fibres VA 1004				
	Article nr.	Description	Dimensions	Weight
	ZA1300-60	Loose reinforcement fibres	Fibre 6 mm, Bucket	5.000 kg


Sealing ribbon DB 1200

Article nr.	Description	Dimensions	Weight
ZG9030-00	Elastic sealing ribbon	Roll length 50 m, Width 12 cm	2.000 kg




Floor sealing sleeve DB 1210

Article nr.	Description	Dimensions	Weight
ZG9031-00	Elastic sealing sleeve for floor additional sealing	35 x 35 cm	0.200 kg



Wall sealing sleeve DB 1220

Article nr.	Description	Dimensions	Weight
ZG9032-00	Elastic sealing sleeve for wall intersections	12 x 12 cm	0.200 kg



Inside corner element of the sealing ribbon DB 1230

Article nr.	Description	Dimensions	Weight
ZG9033-00	Elastic sealing sleeve for inside corners	Edge Length at the sealing place approx. 10 cm	0.010 kg



Outside corner element of the sealing ribbon DB 1240

Article nr.	Description	Dimensions	Weight
ZG9034-00	Elastic sealing sleeve for outside corners	Edge Length at the construction part approx. 7 cm	0.010 kg



Cut-resistant protection tape DB 1323

Article nr.	Description	Dimensions	Weight
ZG9028-00	Self-adhesive protection tape for sealing layers during maintenance	Roll 10 m, Width 32 mm	0.420 kg



Joint sealing tape DB 1300


Article nr.	Description	Dimensions	Weight
ZG9029-00	Adhesive joint sealing tape Thickness 1 mm	Roll 20 m, Width 20 mm	2.000 kg




Spiked shoes with velcro fasteners

	Article nr.	Description	Dimensions	Weight
	WZ4000-00	Spike length 30 mm	Universal size	0.900 kg


Spiked shoes Shoe-in

	Article nr.	Description	Dimensions	Weight
	WZ4010-00 WZ4020-00 WZ4030-00	Innovative spiked shoes without additional fastening straps – easy to wear and remove	M (Size 40 - 42) L (Size 42 - 44) XL (Size 45 - 48)	0.900 kg
	WZ4040-00		Replacement nails (32 pieces for 1 pair)	


Disposable Overshoes PP-CPE

	Article nr.	Description	Dimensions	Weight
	WZ6030-01	Protective shoe with blue-rhomboidal outsole	Length 25 cm	0.010 kg

Floor grounding kit

	Article nr.	Description	Dimensions	Weight
	WZ6010-01	With a copper conductive strip	Length 1 m	0.300 kg

Copper tape

	Article nr.	Description	Dimensions	Weight
	ZB3000-01	Self-adhesive	Roll 50 m	0.250 kg

KLB Conductor Set

Article nr.	Description	Dimensions	Weight
WZ6015-01	Set for 10 earthing connections for conductive coatings	26 x 30 cm	



Paint grid

Article nr.	Description	Dimensions	Weight
WZ7010-01	Metallic	26 x 30 cm	0.250 kg




Measuring jug

Article nr.	Description	Dimensions	Weight
WZ7045-01	Measuring range up to 500 ml – with special scale for AC-Hardening powder up to 300 g – with handle	Height 13.6 cm Circumference 9.8 cm	0.063 kg



Wet film thickness gauge

Article nr.	Description	Dimensions	Weight
WZ6040-01	Measuring range 0.5 - 10 mm	8.5 x 5.5 cm	0.010 kg



Floor protection-covering fleece


Article nr.	Description	Dimensions	Weight
WZ7040-01	Protective fleece with anti-slip adhesion and liquid block	Roll 50 m, Width 100 cm	8,500 kg





KLB Special Cleaning Pad


Article nr.	Description	Dimensions	Weight
	Abrasive sanding and cleaning pad for basic cleaning and sanding of surfaces	Diameter 42 cm	0.250 kg
WZ7200-00	Special Cleaning Pad P 50	Coarse 50	
WZ7210-00	Special Cleaning Pad P 100	Coarse 100	
WZ7220-00	Special Cleaning Pad P 200	Coarse 200	





Grinding disc				
	Article nr.	Description	Dimensions	Weight
	WZ7030-16	For disc grinders – double-sided – equipped with SIC – hole diameter 2.5 cm	16 th Coarse, diameter 40 cm	0.635 kg
	WZ7030-24		24 th Coarse, diameter 40 cm	
	WZ7030-60		60 th Coarse, diameter 40 cm	
	WZ7030-80		80 th Coarse, diameter 40 cm	
	WZ7030-10		100 th Coarse, diameter 40 cm	
	WZ7030-12		120 th Coarse, diameter 40 cm	

Warning and indication plate				
	Article nr.	Description	Dimensions	Weight
	WZ6020-01	Stable cardboard for "flooring works"	36 x 66 cm	0.300 kg


Spigot cast iron 2"				
	Article nr.	Description	Dimensions	Weight
	ZG0000-01	Shove spigot of cast iron for tight head drums with lid 2"	21 x 11 cm	1.700 kg

Hobbock 30 liters				
	Article nr.	Description	Dimensions	Weight
	ZB1140-00	Plastic – White – without lid	30 l	0.885 kg


Lid for hobbock 30 liters				
	Article nr.	Description	Dimensions	Weight
	ZB1141-00	Plastic – white	Diameter 36 cm	0.170 kg

Sieve für sealers				
	Article nr.	Description	Dimensions	Weight
	WZ7050-01	400 μ , practicable for round buckets	40 x 45 cm	0.055 kg


Knee pads

Article nr.	Description	Dimensions	Weight	
WZ4050-00	Robust knee pads for flooring work	16 x 14 cm	0.500 kg	


Screed connectors

Article nr.	Description	Dimensions	Weight	
WZ7100-00	For the strong stich-bonding of joints and cracks	70 x 50 mm carton à 500 pieces	500 pieces = 1.0 kg	

KLB Closed-cell PE backer rod

Article nr.	Description	Dimensions	Weight	
WZ8060-06	Closed-cell PE backer rod, diameter 6 mm	6 mm, 100 m in a small dispenser box	0.700 kg	
WZ8060-15	Closed-cell PE backer rod, diameter 15 mm	15 mm, 100 m in a small dispenser box	0.720 kg	
WZ8060-25	Closed-cell PE backer rod, diameter 25 mm	25 mm, 50 m in a small dispenser box	0.750 kg	

KLB-cartridge gun

Article nr.	Description	Dimensions	Weight	
WZ7016-01	For cartridges and foil sausages up to 600 ml, incl. 1 nozzle and 1 finishing plate	approx. 50 cm	0.700 kg	



KLB Kötztal Lacke + Beschichtungen GmbH
Günztalstraße 25
D-89335 Ichenhausen
Telephone +49 (0) 8223-96 92-0
www.klb-koetzal.com
info@klb-koetzal.com

Order-Hotline -222
Order-Email:
order@klb-koetzal.de



Certified according
to ISO 9001.